ThinkPad E15 Gen 2 (AMD) 20T8000VGE

Product

ThinkPad E15 Gen 2 (AMD)

Region WE

Country/Region Germany

Machine Type 20T8

TopSeller TopSeller

Processor AMD Ryzen 5 4500U (6C / 6T, 2.3 / 4.0GHz, 3MB L2 / 8MB L3)

Graphics Integrated AMD Radeon Graphics

Chipset AMD SoC Platform

Memory 8GB Soldered DDR4-3200 + 8GB SO-DIMM DDR4-3200

Storage 512GB SSD M.2 2242 PCIe NVMe 3.0x4

Display 15.6" FHD (1920x1080) IPS 250nits Anti-glare

Touchscreen None

Ethernet 100/1000M

Optical None

WLAN + Bluetooth Intel AX200 11ax, 2x2 + BT5.0

WWAN None

SIM Card None

Smart Card Reader

Monitor Cable

Bundled Accessories

Case Material Aluminum (Top) + PC / ABS (Bottom)

Camera 720p + IR with ThinkShutter

Microphone 2x, Array

Color Black

Keyboard

Backlit, German Fingerprint Reader

Touch Style

None TPM

Discrete TPM 2.0

Battery Integrated 45Wh

Power Adapter 65W USB-C

System Management None

Operating System Windows 10 Pro 64, German

Bundled Software

Base Warranty 1-year, Depot

Bundled Service

EAN/UPC/JAN 0195042246193

End of Support 2027-01-09

Announce Date 2020-06-09

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com





ThinkPad E15 Gen 2 (AMD) Platform Specifications

Product Specifications Reference (PSREF)

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	O
	Ž
ort),	2
beed	8

Processor	AMD Ryzen [™] Mobile Processors with Radeon [™] Graphics								Smart card readerNone		
	Processor Number	# of Cores	# of Threads	Base Clock	Max Boost Clock	Cache	Memory Types	Processor Graphics	Media reader Ports	None One USB 2.0, one USB 3.2 Gen 1 (Always On), and USB 2.0 Time C Con 1 (with the function of Paymer Delivery and Display Part)	
	Ryzen 3 4300U	4	4	2.7 GHz	3.7 GHz	2MB L2 / 4MB L3				one USB 3.2 Type-C Gen 1 (with the function of Power Delivery and DisplayPort), HDMI 1.4b, Ethernet (RJ-45), headphone / microphone combo jack, security keyhole	
	Ryzen 5 4500U	6	6	2.3 GHz	4.0 GHz	3MB L2 / 8MB L3	DDR4-3200	AMD Radeon	Monitor cable	* Depending on many factors, actual data transfer speed may be lower than theoretical speed None	
	Ryzen 7 4700U	8	8	2.0 GHz	4.1 GHz	4MB L2 /	DDR4-3200	Graphics	Bundled Accy Camera	None One of the following, configurable by model:	
	Ryzen 7 4800U	8	16	1.8 GHz	4.2 GHz	8MB L3				 HD720p camera with ThinkShutter camera privacy, fixed focus IR camera and HD720p camera with ThinkShutter camera privacy, fixed focus 	
Graphics	AMD Radeon Graphics in processor; supports up to 3 independent displays via native display and two external monitors supports external monitors via HDMI (up to 3840x2160@30Hz) or							rnal monitors;	Audio support HD Audio, Realtek ALC3287 codec / stereo HARMAN-branded speakers, 2W x 2, Dolby Audio [®] / dual array microphone, headphone / microphone combo jack		
	USB Type-C (up to 3840x2160@60Hz)						160@60Hz		Keyboard	6-row, spill-resistant, multimedia Fn keys with Unified Communications controls, numeric keypad, optional LED backlight	
Chipset	AMD SoC (System on Chip) platform								UltraNav™	TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad	
Memory	20GB or 24GB max / 3200MHz DDR4, dual-channel capable 4GB or 8GB memory soldered to systemboard, one DDR4 SO-DIMM socket							socket	Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole • Discrete TPM 2.0, TCG Certified	
Display	Size Reso	olution	٦	Type Surfa	ace Brigh	tness As Ra	atio Contra		System Mgt	Firmware TPM 2.0 integrated in chipset None	
		(1920x	/	TN Anti-ç	· · ·		6:9 400:			r Optional: Touch style fingerprint reader on power button	
		(1920x ⁻	1080)	IPS Anti-g	glare 250	nits 10	6:9 700:	1 170°	NFČ	None	
Multi-touch	None								Battery	Integrated Li-Polymer 45Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter	
Storage	Up to two drives • M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 4 • M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4								Max battery life	MobileMark [®] 2014: 12.7 hrs	
Quitant									AC adapter	* Battery life varies significantly with hardware configurations, settings, usage, & other factor 65W USB-C AC adapter	
Optical Ethernet	None Gigabit Ethernet Connection, Realtek R8111GUS								Operating system	Windows® 10 Home 64	
WLAN +	0			,		3			(optional)	Windows 10 Pro 64	
Bluetooth™	One of the following, configurable by model: ● Realtek [®] RTL8822CE, Wi-Fi 2x2 802.11ac + Bluetooth 5.0, M.2 card ● Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.0, M.2 card							l	Limited warranty (optional)	 1-year mail-in repair service 1-year depot repair service 1-year depot with 2-year system board repair service 	
WWAN	None									1-year limited onsite service	
SIM card	None	44.07	7	0.74	005	0.40	10.0		Mil-Spec test	MIL-STD-810G military testing	
Dimensions Weight Case color Case material	WxDxH: 14.37" x 9.45" x 0.74"; 365mm x 240mm x 18.9mm Starting at 3.75 lb / 1.7 kg Black I Display cover: Aluminum; Bottom: PC/ABS plastic								Environment	EPEAT [™] Gold (US, Canada, and Germany only); ENERGY STAR [®] 8.0; ErP lot3; TCO Certified; RoHS-compliant	
Note: The specifications above may not be available in all regions.											

Note: The specifications above may not be available in all regions.

Lenovo June 2020

ThinkPad E15 Gen 2 (AMD)







AMD



